

From-IV
 See Rule -13
 Annual Report
 (Biomedical Waste Management rule-2016)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or bio-medical waste treatment facility CBWTF)]

Sl. No	Particulars	
1	Particulars of the occupiers	
	(i) Name of the authorized person(occupier or operator of facility)	SRI SRINIVAS RATY PHARMACIST PHC (C) GANJAM
	(ii) Name of the HCF or CBMWTF	At (PO. PHC (C) GANJAM
	(iii) Address for Correspondence	9439998592
	(iv) Address of Facility	PHC (C) GANJAM, ANJUA
	(v) Tel. No, Fax. No	9439998592
	(vi) E-mail ID	
	(vii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	(State <u>Government</u> or Private or Semi Govt. or any other) ✓
	(x) Status of Authorization under the Bio-Medical waste Management and Handling Rules	Authorization No valid up to
2	Type of health Care Facility	
	(i) Bedded Hospital	No. of beds <u>mc</u>
	(ii) Non Bedded Hospital (Clinic or Blood Bank, Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	✓ <u>4A</u>
	(iii) License number and its date of expiry	
3	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No of beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF	<u>1kg / per day</u>
	(iv) Quantity of Bio medical waste treated or disposed by CBMWTF	<u>1kg / per day</u>
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category <u>400</u> Red Category <u>90</u> White <u>30</u> Blue Category <u>40</u> General solid Waste <u>1kg</u>
5	Details of the storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	Size: Capacity
		Provision of on-site storage) cold storage or any other provision

	(ii) Disposal Facilities	Type of treatment equipment	No of units	Capacity Kg / Day	Quantity treated or disposed in Kg per annum
		Incinerators			
		Plasma			
		Pyrolysis			
		Autoclaves			
		Microwave			
		Hyroclave			
		Shredder			
		Needle tip cutter or destroy			
		Sharps encapsulation or concrete pit			
		Deep burial pits:			
		Chemical disinfection:	900		
		Any other treatment equipments	—		
	(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in Kg per annum.	Red Category (Like plastics, glass, etc)			
			— 40 —		
	(iv) No of vehicles used for collection and transportation of bio medical waste				
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of waste in Kg per annum.	Incineration Ash ETP Sludge	Quantity generated	Where disposed	
	(vi) Name of the common Bio-Medical Waste Treatment Facility Operator through which		400 kg		

	wastes are disposed of		
	(vii) List of members HCF not handed over bio-medical waste		—
6	Do you have bio-medical waste management committee? If yes , attach minutes of the meetings held during the reporting period.		yes
7	Details training conducted on BVMW		
	(i) Number of training conducted on BMWM Management		one
	(ii) Number of personnel trained		mc
	(iii) Number of personnel trained at the time of induction		05
	(iv) Number of personnel not undergone any training so far		05
	(v) Whether standard manual for training is available?		yes
	(vi) Any other information		
8	Details of the accident occurred during the year.		40
	Number of Accidents occurred		no
	Number of the persons affected		no
	Remedial Action taken (Please attach details if any)		40
	Any Fatality occurred, details.		40
9.	Are you meeting the standards of air Pollution from the incinerator ? How many times in last year could not met the standard?		40
	Details of Continuous online emission monitoring systems installed		—
10.	Liquid waste generated and treatment methods in [place. How many times you have not met the standards in a year?		—
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		
12.	Any others relevant information		Air Pollution Control Devices attached with the Incinerator

Certified that the above report is for the periods from

January 2022 to December 2022

Name and Signature of the Head of the Institution

Srinivas Rallu Phomayam
Prachi Gayam

Date:- _____

Place : Prachi Gayam