


Form – IV
(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr. No	Particulars		
1.	Particulars of the Occupier	:	Dr Soumyakata mahapatra Superintendent CHC Khandaoli
	(i) Name of the authorised person (occupier or operator of facility)	:	
	(ii) Name of HCF or CBMWTF	:	CHC Khandaoli
	(iii) Address for Correspondence	:	At/PO:- Khandaoli, Bhubaneswar
	(iv) Address of Facility	:	C/o CHC KHANDAOLI
	(v) Tel. No. Fax. No	:	9439983138
	(vi) E-mail ID	:	
	(vii) URL of Website	:	
	(viii) GPS coordinates of HCF or CBMWTF	:	
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: 1094/S.P.C.B./Au. authorization/1037 (old)valid up to (new applied)
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: 06
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	- NA -
	(iii) License number and its date of expiry	:	
3.	Details of CBMWTF	:	

	(i) Number healthcare facilities covered by CBMWTF	:	03
	(ii) Number healthcare facilities covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	4.700 Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	4.700 Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 710 kg Red Category: 315 kg White: 55 kg Blue Category: 99 kg General Solid waste: 998 kg
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	Size :		
	Capacity :		
	Provision of on-site storage : (cold storage or any other provision)		
	(i) Details of the on-site storage facility	:	Quantity Treated or disposed in kg per annum Type of treatment equipment Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: 95kg Chemical Disinfection: Any other treatment equipment:
	(ii) disposal facilities		


 Supriya Devi
 CHC Bhandedeuli (Gm.)

	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. (iv) No of vehicles used for collection and transportation of biomedical waste	:	Red Category (like plastic, glass etc.)
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum (vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of (vii) List of member HCF not handed over bio-medical waste.	:	Incineration Ash ETP Sludge
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Where disposed
7.	Details trainings conducted on BMW		Quantity generated
	(i) Number of trainings conducted on BMW Management.		949 kg
	(ii) number of personnel trained		
	(iii) number of personnel trained at the time of induction		
	(iv) number of personnel not undergone any training so far		
	(v) whether standard manual for training is available?		
8.	(vi) any other information		
	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
9.	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		
	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		
	Details of Continuous online emission monitoring systems installed		

[Signature]
 Sub-Inspector
 CHC Khandadeuli (Gm.)

10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		—
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		—
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

..... January 2024 to December 2024

.....

.....

.....

.....

Date:

06.01.2025

Name and Signature of the Head of the Institution

Superintendent
CHC Kharchadeuli (Gm.)

Place

CHC Kharchadeuli